

Kitemark™ Certificate

This is to certify that:

Veka plc
Farrington Road
Rossendale Road Industrial Estate
Burnley
BB11 5DA
United Kingdom

Holds Certificate Number:

KM 33520

In respect of:

BS EN 12608 / PAS24
PVCU Profile - Enhanced Security Windows System Supplier

This issues the right and licence to use the Kitemark in accordance with the Kitemark Terms and Conditions governing the use of the Kitemark, as may be updated from time to time by BSI Assurance UK Ltd (the "Conditions"). All defined terms in this Certificate shall have the same meaning as in the Conditions.

The use of the Kitemark is authorized in respect of the Product(s) detailed on this Certificate provided at or from the above address.

For and on behalf of BSI:


Chris Lewis - Certification Director, Product Certification

First Issued: 1995-03-17

Latest Issue: 2020-06-03

Effective Date: 2020-06-03

Expiry Date: 2023-06-02

Page: 1 of 33



...making excellence a habit.™

Kitemark™ Certificate

No. KM 33520

BS EN 12608:2016 / PAS 24:2016 - General and enhanced security performance requirements for window assemblies.

This Certificate covers the following window system design specification. The following materials are also certificated for use with windows and doors in conjunction with BS 7412 and PAS 24 when foiled in accordance with BS 7722:2010: Only those components that have been approved in accordance with the Kitemark scheme requirements can be incorporated within the system(s) detailed.

Imagine Vertical Slider PVC-U Window System

Fabrication and Installation:	Fabricated and installed in accordance with the latest issue(s) of the following Veka plc controlled manual(s): Imagine Vertical Slider System Technical Manual.	
System description:	The windows are double glazed, internally beaded, welded or mechanically jointed, multipoint locking and are classified W.	
Ventilation:	None	
Window Types:	Vertical Sliding Windows	Caldwell Hardware security sash lock PE7950, Sash lock keep UK 717, Security tilt latch PE615L/R or ERA Hardware camlock VHCLHWH01A, keep VHKPSWH11B, guide catch BF-CATSBD71/72
	Glazing	GT Securi-Clips, GT Snap-Lok

First Issued: 1995-03-17
Latest Issue: 2020-06-03

Effective Date: 2020-06-03
Expiry Date: 2023-06-02

Kitemark™ Certificate

No. KM 33520

Imagine Vertical Slider PVC-U Window System Size Limitations and Performance Characteristics

Window Type	Length (mm) - Maximum	Height (mm) - Maximum	Area(m ²) - Maximum	Friction Stays (up to and including)	Transom/Mullion Length (mm) inc frame - Maximum	Air Permeability classification	Watertightness classification	Resistance to Wind classification	Exposure category as given in Table 1 of BS 6375-1
Overall dimensions for windows with approved outer frame profiles:									
Vertical Sliders Caldwell Torso II Welded joint	1400	2450	3.43	-	-	4	7A	BE2400	2400
Vertical Sliders Caldwell Torso II mechanical joint	1400	2450	3.43	-	-	4	7A	BE2400	2400
Vertical Sliders Caldwell UL6 welded or mechanical joint	1175	2300	2.70	-	-	4	7A	BE2400	2400
Vertical Sliders ERA/Balance UK V1.5 Welded joint	1084	1600	1.73	-	-	4	9A	A5	2000
Vertical Sliders ERA/Balance UK V1.5 mechanical joint	1084	1600	1.73	-	-	3	9A	A4	1600
Vertical Sliders ERA/Constant Force welded joint	950	1600	1.52	-	-	4	5A	A5	2000
Vertical Sliders ERA/Constant Force mechanical joint	950	1600	1.52	-	-	3	8A	A5	2000

First Issued: 1995-03-17

Latest Issue: 2020-06-03

Effective Date: 2020-06-03

Expiry Date: 2023-06-02

Page: 33 of 33

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A member of BSI Group of Companies.